

“

”

2005 3 ,

2009 3

138595.1

125968.6

103171.9

22796.8

1957 6

1959 4

——

1990 9

“ ” “ ”


(1993 12

)

2005



m



“ ”

(

109 ° 03 ' 52 "


109 ° 26 ' 44 "

19 ° 20 ' 45 "

19 ° 38 ' 08 " { L\$



j



17.3
14.7

27.5

23.6

3

16.5 25`

		93%	
7%			
	582	237	
572	10		
254	237	81	1
	86.5%	9.4%	1.8%
1.7%		0.4%	0.2%
		5.6	
70%	20%	10%	
	2019	357.64	
	6.5%	134.14	
2.3%		37.94	4.3%
	15.21	2.3%	22.78
	5.0%	185.56	
10.1%			37.5% 10.6%
51.9%		39065	
5663		5.6%	
	2019	6811.7	
4.81%	6226	284	4.36%
	6.29	24570	



138595.1

108690.4

2015

2030

2018

1085.

100412.6

1130.7

3881.7

18866.9	13.6%
28702.8	20.7%
23593.2	17.0%

	138595.1	108690.4
78.4%	29904.7	21.6%
138595.1		
	100412.6	92.4%
1130.7		1.0%
3881.7		3.4%
3265.4		3.0%
29904.7		
29815.7		99.7%
319.3		0.3%

	108690.4
14609.8	13.4%
94080.6	86.6%

133478.9	1284611.85
----------	------------

	124868.0	1284611.85
	3216.3	
5394.6		
	100412.6	80.4%
986842.26	76.8%	
24455.5	19.6%	297769.59
23.2%		
	1130.7	35.2%
	2085.6	64.8%
	3881.7	
72.0%		1512.8
28.0%		
	133478.9	1284611.85
	133478.9	1284611.85

	19.7	0.01%	155.83
	0.01%		
	133459.2	99.99%	
1284456.02		99.99%	
	133478.9		1284611.85
	14607.5		
10.9%	132603.18	10.3%	
	118871.4	89.1%	
1152008.67		89.7%	
	133478.9		1284611.85
	14607.5	10.9%	132603.18
	10.3%		
	4087.9	3.1%	24344.33
	1.9%		
	114783.5	86.0%	
1127664.34		87.8%	
	133478.9		1284611.85

	125968.6	94.37%	
1259191.93		98.02%	
	3216.3	2.41%	
	4274.3	3.20%	25264.09
	1.97%		
	19.7	0.01%	155.83
	0.01%		
	133478.9		1284611.85
/	26546.0		3216.3
	19.9%	13198.25	1.0%
	4685.3	3.5%	27122.92
	2.1%		
	6248.8	4.7%	46020.27
	3.6%		
	21473.8	16.1%	243605.98
	19.0%		
	74525.1	55.8%	954664.43
	74.3%		

1

2

3

10 2

2020 2024 2025 2029

2019 12 28

2018 3 19

2014 4 24

2018 12 29

2019 8 26

2014 7 29

2017 10 7

2016 2

6

([2003]9

)

LY/T 2007-2012

LY/T 2008-2012

GB/T 15776-2016

GB/T 15781-2015

LY/T 1646-2005

GB/T 18337.3-2001

2009 214

2004 251

LY/T 1594-2018

[2007]10

FSC

FSC-STD-CHN-01-2016

1-0

2013

2013 6 4

NY/T 221-2016

NY/T 1088-2006

2013 8

(2013 8)

()

(2014 1)

(2009 3)


(2015-2030)

“

”

“

”



3.1

I



8	20	20
9	3000	3000

2019

14609.8

,

,

123896.3

94080.6

29815.7

,

, ,

89.0

14609.8

14607.5

2.4

14401.4

206.1

123896.3

118871.4

5024.8

3686.3

105.1

1233.4

118851.8

19.7

111567.2

4068.3

3216.3

19.7

,

,

89.0



FSC

FSC

PR107

7-07

m

1

30

15

5

“

”

m \$

”

30

1

[2013]114

‘

,

“

+ ”

125968.6

103171.9

22796.8

“ ”

“ ”

2015 2019

6685

6856

6273

6510

6226

6000

6500

10000

3000

60

‘ ,

11

5

1

2

9

1

2

3

4

5

10

6

6.1

50

6.2

6.3

7

7.1

50

7.2

7.3

3

8

8.1

2

3

2

+2

3

2

8.2

8.3

“

”

“

”

9

10

12 14

3

11

12

13

14

14.1

14.2

14.3

14.4

22266

416326

291428

2227

41633

29143

1

1.1

1.2

1.3

1.4

1.5

2

2.1

2.2

2.3

2.5

SC

2.3

2.4

2.5

1

1.1

1.2

1.3

2

2.1

2.2

2.3

1

1.1

1.2

1.3

1.4

2

2.1

2.2

2.3

2.4

2.5

2.6

1

1.1

1.2

1.3

1.4

1.5

1.6

2

2.1

2.2

2.3

2.4

2.5

1

1.1

1.2

2

2.1

2.2

2.3

1

1.1

1.2

2

2.1

2.2

2.3

2.4

2.5

2.6

â

60 70

20 208 4 205 4 303 6

307 2 406 4

70 , ,

2 312 1

510 1

113.4

58

850 97335 9733.5
6 60 2020
100 6% 11204
138595 80
12474
25513 1350 3444
258317 600


15499

1025467

280

28713 #äö

oo




10CE
N1'0%001"1"
3



WVFD
M





海胶集团FSC-PM认证单位（八一分公司）林地分布图

